

2025 S MODEL YEAR LAND ROVER DISCOVERY SPORT TECHNICAL SPECIFICATIONS	D150 PWD Manual 5 Seat	D150 PWD Manual 7 Seat	D150 MHEV AWD Auto 5 Seat	D150 MHEV AWD Auto 7 Seat	D180 MHEV AWD Auto 5 Seat	D180 MHEV AWD Auto 7 Seat	D240 MHEV AWD Auto 5 Seat	D240 MHEV AWD Auto 7 Seat	P200 MHEV AWD Auto 5 Seat	P200 MHEV AWD Auto 7 Seat	P250 MHEV AWD Auto 5 Seat	P250 MHEV AWD Auto 7 Seat	P300e PHEV AWD Auto 5 Seat	
Engine type	Inline 4 common rail diesel, 16 valves; DOHC, variable intake cam timing, variable geometry turbo		Inline 4 common rail diesel, 16 valves; DOHC, variable intake cam timing, variable geometry turbo		Inline 4 common rail diesel, 16 valves; DOHC, variable intake cam timing, variable geometry turbo		Inline 4 common rail diesel, 16 valves; DOHC, variable intake cam timing, variable geometry turbo		Inline 4 gasoline, 16 valve; DOHC, variable intake and exhaust cam timing, variable intake valve lift, twin-scroll turbo		Inline 4 gasoline, 16 valve; DOHC, variable intake and exhaust cam timing, variable intake valve lift, twin-scroll turbo		Inline 3-cylinder, electric control, direct injection, 12 valve	
Displacement (cc)	1,998	1,998	1,998	1,998	1,998	1,998	1,998	1,998	1,997	1,997	1,997	1,997	1,497	
Bore / Stroke (mm)	83 x 92.3	83 x 92.3	83.0 x 92.3	83.0 x 92.3	83.0 x 92.3	83.0 x 92.3	83.0 x 92.3	83.0 x 92.3	83/92.29	83/92.29	83/92.29	83/92.29	83/92.35	
Compression ratio	15.5 v/ 0.5	15.5 v/ 0.5	15.5 v/ 0.5	15.5 v/ 0.5	15.5 v/ 0.5	15.5 v/ 0.5	15.5 v/ 0.5	15.5 v/ 0.5	10.5 v/ 0.5	10.5 v/ 0.5	10.5 v/ 0.5	10.5 v/ 0.5	10.5	
Power type	150PS (110kW) @ 2,800rpm	150PS (110kW) @ 2,800rpm	150PS (110kW) @ 2,800rpm	150PS (110kW) @ 2,400rpm	180PS (132kW) @ 4,000rpm	180PS (132kW) @ 4,000rpm	240PS (177kW) @ 4,000rpm	240PS (177kW) @ 4,000rpm	200PS (147kW) @ 5,500rpm	200PS (147kW) @ 5,500rpm	249PS (184kW) @ 5,500RPM	249PS (184kW) @ 5,500RPM	309PS (227kW) @ 5,500RPM	
Max Torque (Nm)	380Nm (280lb ft) @ 1,750-2,750rpm	380Nm (280lb ft) @ 1,750-2,750rpm	380Nm (280lb ft) @ 1,750-2,500rpm	380Nm (280lb ft) @ 1,750-2,500rpm	430Nm (317lb ft) @ 1,500-3,000rpm	430Nm (317lb ft) @ 1,500-3,000rpm	500Nm (369lb ft) @ 1,500-3,000rpm	500Nm (369lb ft) @ 1,500-3,000rpm	320Nm (236lb ft) @ 1,250-4,500rpm	320Nm (236lb ft) @ 1,250-4,500rpm	365Nm (269lb ft) @ 1,400-4,500rpm	365Nm (269lb ft) @ 1,400-4,500rpm	540Nm (398lb ft) @ 2,000-2,500rpm	
Transmission	8G6 6-Speed Manual	8G6 6-Speed Manual	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	ZF (9HP50) 9-speed automatic	8-speed automatic	
1st	3.618	3.618	4.713	4.713	4.713	4.713	4.713	4.713	4.713	4.713	4.713	4.713	5.07	
2nd	1.923	1.923	2.842	2.842	2.842	2.842	2.842	2.842	2.842	2.842	2.842	2.842	2.972	
3rd	1.218	1.218	1.909	1.909	1.909	1.909	1.909	1.909	1.909	1.909	1.909	1.909	1.95	
4th	0.88	0.88	1.382	1.382	1.382	1.382	1.382	1.382	1.382	1.382	1.382	1.382	1.47	
5th	0.809	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.231	
6th	0.673	0.673	0.808	0.808	0.808	0.808	0.808	0.808	0.808	0.808	0.808	0.808	1	
7th	-	-	0.699	0.699	0.699	0.699	0.699	0.699	0.699	0.699	0.699	0.699	0.808	
8th	-	-	0.580	0.580	0.580	0.580	0.580	0.580	0.580	0.580	0.580	0.580	0.672	
9th	-	-	0.480	0.480	0.480	0.480	0.480	0.480	0.480	0.480	0.480	0.480	-	
Reverse (1)	4.139	4.139	3.850	3.850	3.850	3.850	3.850	3.850	3.850	3.850	3.850	3.850	4.003	
Final drive ratio	3.777 (1-4)	3.777 (1-4)	4.544	4.544	4.544	4.544	4.544	4.544	4.544	4.544	4.544	4.544	3.832	
Fuel tank capacity (usable) (litres)	65	3,238 (15.6 rev)	65	65	65	65	65	65	67	67	67	67	57	
Additional tank capacity (litres)	17	17	17	17	17	17	17	17	17	17	17	17	17	
Front brakes (diameter) (mm)	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	17" wheels = 325	
All-terrain disc	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	18"-21" wheels = 349	
Rear brakes (diameter)	300	300	325	325	325	325	325	325	300	325	325	325	325	
All-Wheel Drive System	N/A	N/A	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Front Power Transfer Unit and Rear Drive Unit with Torque on Demand to rear axle	Rear Electric Drive Unit (EDU) with Electric Rear Axle Drive (ERAD)	
Steering	Electric Power Assisted Steering (EPAS) dual pinion													
Front suspension	MacPherson Strut with Passive Anti-Roll bar													
Rear suspension	Integral Multi-link with Passive Anti-Roll bar													
Wheels	Alloy 7.0J x 17"	Alloy 7.0J x 17"	Alloy 7.0J x 17"	Alloy 7.0J x 17"	Alloy 7.0J x 17"	Alloy 7.0J x 17"	Alloy 7.0J x 17"	Alloy 7.0J x 17"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20"	
Wheels	Alloy 8.0J x 18", 19" & 20"	Alloy 8.0J x 18", 19" & 20"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20"	Alloy 8.0J x 18", 19", 20"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20"	Alloy 8.0J x 18", 19", 20"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20" & 21"	Alloy 8.0J x 18", 19", 20"	
Overall length (mm)	4,597													
Overall height (with antennas) (mm)	1,727													
Overall width (mirrors folded) (mm)	2,069													
Overall width (mirrors unfolded) (mm)	2,173													
Wheelbase (mm)	2,741													
Front overhang (mm)	401													
Rear overhang (mm)	555													
Front track (mm)	17" - 1625.5 18" - 1625.6 19" - 1626.0 20" - 1635.6 21" - 1635.6													
Rear track (mm)	17" - 1615.5 18" - 1632.1 19" - 1623.0 20" - 1642.2 21" - 1642.2													
Turning circle - kerb-to-kerb (m)	11.8													
Drag coefficient (Cd)	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.34	0.34	
Headroom R1/R2/R3 (mm)	Row 1: 1003 (1021 with Sunroof) Row 2: 984 Row 3: 875													
Legroom R1/R2/R3 (mm)	Row 1: 993 Row 2: 968 Row 3: 655													
Shoulder room R1/R2/R3 (mm)	Row 1: 1455 Row 2: 1430 Row 3: 1197													
Luggage capacity R1/R2/R3 (litres)	5 Seater: Behind row 1: 1794 / behind row 2: 897 7 Seater: Behind row 1: 1651 / behind row 2: 754 / behind row 3: 157													
Loadspace length R1/R2/R3 (mm)	5 Seater: 1771/980 7 Seater: 1824/967/225													
Loadspace height (mm)	785													
Loadspace width (mm)	1323													
Loadspace door aperture height (mm)	798													
Loadspace door aperture width (mm)	1043													
Lift to height (mm)	157													
Approach angle (deg) †	25.0 (22.8 R-Dynamic)													
Departure angle (deg) †	30.2 (28.2 R-Dynamic)													
Ramp breakover angle (deg) †	20.6													
Wading depth (mm)	212													
Ground clearance (mm) †	172													
Weight Unladen DIN (kg)	1,769	1,851	1,873	1,903	1,873	1,934	1,934	2,015	1,826	1,904	1,864	1,942	2,093	
Weight Unladen EU (kg)	1,844	1,926	1,948	2,028	1,948	2,009	2,090	2,090	1,901	1,979	1,939	2,017	2,168	
Minimum towable mass (unbraked) (kg)	750													
Maximum towable mass (braked) (kg)	1,800	1,800	2,200	2,200	2,500	2,500	2,500	2,200	2,000	2,000	2,000	2,000	1,600	
0-62mph (0-100km/h) (secs)	11.1	11.4	11.4	11.8	9.7	10.1	7.7	7.9	9.0	9.2	7.6	7.8	6.6	
0-100mph (0-160km/h) (secs)	7.8	8.2	8.0	8.3	7.4	7.7	5.9	5.9	7.1	7.1	5.5	5.5	4.2	
Top speed mph (km/h)	120 (194)	119 (193)	118 (190)	117 (188)	125 (202)	125 (202)	136 (220)	136 (220)	128 (207)	128 (206)	139 (225)	139 (224)	130 (209)	
WLTP Fuel Consumption TEL (l/100km) (mpg)	From 5.9 (47.8)	From 6.1 (46.3)	From 6.9 (40.9)	From 7.1 (40.0)	From 7.0 (40.4)	From 7.1 (39.6)	From 7.1 (39.6)	From 7.3 (38.8)	From 7.1 (39.6)	From 7.1 (39.6)	From 6.4 (36.5)	From 6.4 (36.5)	From 5.4 (52.9)	
WLTP CO2 Emissions TEL (g/km)	From 159	From 165	From 181	From 185	From 183	From 187	From 187	From 191	From 208	From 212	From 210	From 214	36	